

4. (original) The composition of claim 1 wherein the corticosteroid comprises fluocinolone acetoneide.
- ✓ 5. (original) The composition of claim 1, 2, 3 or 4 wherein the corticosteroid is present at about 0.10%.
- ✓ 6. (original) The composition of claim 1, 2, 3 or 4 wherein the corticosteroid is present at at least about 0.50%.
- ✓ 7. (original) The composition of claim 1, 2, 3 or 4 wherein the corticosteroid is present at at least about 0.25%.
8. (original) The composition of claim 1, 2, 3 or 4 wherein the penetration enhancers comprise two or more of the group consisting of propylene glycol, diisopropyl adipate, dimethyl isosorbide, 1,2,6 hexanetriol, and benzyl alcohol.
9. (original) The composition of claim 1, 2, 3 or 4 wherein the penetration enhancers comprise two or more of the group consisting of propylene glycol, diisopropyl adipate and dimethyl isosorbide.
- ✓ 10. (original) The composition of claim 1, 2, 3, or 4 wherein one penetration enhancer comprises propylene glycol.
- ✓ 11. (original) The composition of claim 1 wherein the ratio is at least about 0.80.
- ✓ 12. (original) The composition of claim 1 wherein the ratio is at least about 0.90.
- ✓ 13. (original) The composition of claim 1 wherein the ratio is at least about 0.95.
- ✓ 14. (original) The composition of claim 1 wherein the solvents and emulsifiers comprise one or more of the group consisting of dehydrated alcohol, alcohol (95% v/v) USP, 3-Cyclohexene-1-Methanol, α -4-Dimethyl-a-(4-Methyl-3-Pentenyl)-, Steareth-2, Steareth-21, citric acid, CPE-215, diisopropanolamine (1:9), DIPA/PG (1:9), ethoxydiglycol, Potassium hydroxide (10%), PEG-40 Stearate, PEG-7000, Polysorbate 60, potassium hydroxide (1%), propylene carbonate

USP, propylene glycol 4, oleyl alcohol, sodium lauryl sulfate, sorbitan monostearate, sorbitan stearate, and 1,2,3-Propanetriyl Ester.

15. (original) The composition of claim 1 further comprising one or more non-solvent/emulsifier ingredients.

16. (original) The composition of claim 14 wherein the non-solvent/emulsifier ingredients comprise one or more of the group consisting of Glyceryl Stearate (and) PEG-100 Stearate, carbopol 980, cyclomethicone NF, glyceryl monostearate, hydroxyethyl cellulose, hydroxypropyl cellulose, isopropyl myristate, methyl paraben NF, mineral oil, oleic acid NF, PEG-100 Stearate, petrolatum, propyl paraben NF, purified water, stearyl alcohol, white petrolatum, and white wax.

17. (original) The composition of claim 1 wherein the solvents and emulsifiers are present at about 4-5%.

18. (original) The composition of claim 15 wherein the non-solvent/emulsifier ingredients are present at about 11% to about 53%.

19. (original) The composition of claim 15 wherein the non-solvent/emulsifier ingredients are present at about 11% to about 27%.

20. (original) A composition comprising about 0.10% fluocinonide, about 74.9% propylene glycol, about 3.0% diisopropyl adipate, about 5.0% isopropyl myristate, about 2.5% 1,2,6 trihydroxyhexane, about 1.0% carbopol 980, about 1.0% diisopropanolamine 85%: propylene glycol (1:9), about 0.01% citric acid, about 2.49% purified water, about 2.5% glyceryl monostearate, and about 7.5% glyceryl monostearate & PEG stearate.

21. (original) A composition comprising about 0.10% fluocinonide, about 70.0% propylene glycol, about 15.0% dimethyl isosorbide, about 1.2% carbopol 980, about 1.2% diisopropanolamine

85%: propylene glycol (1:9), about 0.01% citric acid, about 2.49% purified water, about 2.5% glyceryl monostearate, and about 7.5% glyceryl monostearate & PEG stearate.

22. (original) A composition comprising about 0.10% fluocinonide, about 66.8% propylene glycol, about 5.0% dimethyl isosorbide, about 5.0% isopropyl myristate, about 0.5% carbopol 980, about 0.5% diisopropanolamine 85%: propylene glycol (1:9), about 5.0% white petrolatum USP, about 6.0% glyceryl monostearate, about 6.0% PEG 100 stearate, about 5.0% stearyl alcohol, and about 0.10% sodium lauryl sulfate.
23. (original) A composition comprising about 0.10% fluocinonide, about 69.9% propylene glycol, about 2.0% diisopropyl adipate, about 5.0% isopropyl myristate, about 0.5% carbopol 980, about 0.5% diisopropanolamine 85%: propylene glycol (1:9), about 5.0% white petrolatum USP, about 6.0% glyceryl monostearate, about 6.0% PEG 100 stearate, and about 5.0% stearyl alcohol.

24. (withdrawn)

25. (withdrawn)

26. (withdrawn)

27. (withdrawn)

28. (withdrawn)

29. (withdrawn)

30. (withdrawn)

31. (withdrawn)

32. (withdrawn)

33. (withdrawn)

34. (withdrawn)

35. (withdrawn)

- 36. (withdrawn)
- 37. (withdrawn)
- 38. (withdrawn)
- 39. (withdrawn)
- 40. (withdrawn)
- 41. (withdrawn)
- 42. (withdrawn)
- 43. (withdrawn)
- 44. (withdrawn)
- 45. (withdrawn)
- 46. (withdrawn)
- 47. (withdrawn)
- 48. (withdrawn)
- 49. (withdrawn)
- 50. (withdrawn)
- 51. (withdrawn)
- 52. (withdrawn)
- 53. (withdrawn)
- 54. (withdrawn)
- 55. (withdrawn)
- 56. (withdrawn)
- 57. (withdrawn)
- 58. (withdrawn)
- 59. (withdrawn)